

# ★ A5A ★ VIGILANTE

By PAVEL BOSAK . . . Jet models don't all have to be ducted fans, nor do they have to look strange with an engine and prop in the nose. From Czechoslovakia, an interesting example for .40 engines and sharp pilots.

• After testing a pusher engine on a delta model and conducting experiments with this concept on the model L-39 Albatros, which was published in the January 1978 issue of RCM, and after the great interest shown by model builders (I received a lot of letters not only from the U.S.A. but also from Europe, Brazil, and even from Singapore and the Philippines), I wanted to build another model of this same concept. I decided to build a semi-scale model of the A5A Vigilante, which best suited my concept.

The development of the full-size Vigilante began in the later part of the fifties, when the U.S. Navy needed a carrier-based plane which would be able to transport an A-bomb. The first prototype was called the Vigilante YA 33-1, and its maiden flight was on the 31st of August, 1958. The first four planes were in use by flight VAH-3. The auto-

matic flight control system of the Vigilante was the top electronic system in its time. In the case of airplane A3J-1, new construction techniques were introduced, and the airplane was used in the development of the Navajo B-64 pilotless missile. Another constructional specialty was represented by the somewhat unusual way of throwing bombs backwards from the long tunnel bomb rack. In 1962, the designation A3J-1 was changed to ASA. In the same year ASA airplanes appeared on the deck of the aircraft carrier Enterprise. The development of the Vigilante went on in versions ASB and RA-5c. These types are a little bit different in shape. Because of a new fuel tank location, the shape of the upper fuselage part was changed.

#### MAIN TECHNICAL DATA

Wingspan: 16.15 meters

Length: 23.25 meters

Maximum speed: 2,230 km/hr.

Maximum speed at sea level: 1,260 km/hr.


Service ceiling: 19,500 meters

#### DESCRIPTION OF MODEL

The model is made for a .40 engine; that is why its measurements are not big. Thanks to its sweptback wings it is also space-saving. That is also the reason why the wings are not removable. The final result is a far lighter and more compact model. In comparison with an authentic scale aircraft, net wing area and elevator area are larger. Some unimportant details are also left out. In spite of it, the model looks elegant and is very impressive in flight.

#### CONSTRUCTION

Begin the construction with the fuselage sides. There are four altogether; two inner longer ones and two outer shorter ones. The inner sides are strengthened with full-length plywood doublers, the outer ones in the place



Pusher engine installation in the Vigilante. Note that each elevator has its own pushrod, cables used on original model.




The author prepping his bird for a flight. Highly unusual model draws much interest wherever it is flown.


where the main undercarriage blocks are located. Cut the fuselage formers. On former F4 fasten the nose wheel leg and to former F6 attach the engine mount. Epoxy the inner sides and formers together. Epoxy part of the fuselage bottom in place from the notch on the outer sides to about 4 inches aft. Epoxy the main undercarriage mounting block in place. Epoxy the half-finished fuselage and outer sides together, as shown on the plan. When doing the top and bottom sheeting, epoxy the wood with the grain going across the fuselage. When dry, attach the main undercarriage so that your model can stand. Now do the front bottom part sheeting between the inner sides and also epoxy the nose in place. It can be cut from hard balsa or from spruce. Do not try to save weight in the nose. Now close up the top fuselage part as far as the end. The outer sides must be a little bent in the rear fuselage part, and this we can do by epoxying a cross-grain balsa strip in the rear bottom fuselage area.

According to the plan, build the stab and fin. Both of them are of the same construction: a balsa frame covered on both sides. In the rudder there are also spruce spars which go as far as the fuselage bottom. Sand the stab and fin and epoxy them to the fuselage. Cut a hole for the stab in the outer sides and in the inner ones cut a groove in the balsa as deep as the plywood doublers. Cut a hole for the fin in the top fuselage part. Now epoxy the stab and fin in place.

Now it is time for the wings. According to the plan, cut ribs and the web W10. Epoxy ribs to W10 and at the same time epoxy the spars in place. Cut notches in the inner and outer fuselage sides so that both wing halves meet in the fuselage center and rib W1 touches the outer fuselage side. Epoxy plywood triangles W10 to the center of the webs. When dry, epoxy leading edge W9 and trailing edge W11 in place, then make bottom wing balsa sheeting. To our half-finished model add the tank, servo rails, servos, and pushrods. You can see on the plan how to place the pushrods and servos. The tank in the original model is placed at the center of gravity. This is, however, made possible by an engine with pump or in-line fuel pump, such as that by Robart. If you do not want to use a pump, place the tank in the rear fuselage part, but then you must put



Half-finished basic framework. Long nose permits placing radio gear far enough forward to compensate for the engine in the tail. A very short-coupled model!



Installation of Futaba radio in the prototype. Switch is mounted in hatch, a good idea... if nothing else, it keeps the hatch from getting lost.

some extra weight into the nose, and thus the model's weight is higher.

When pushrods are dry, finish the fuselage and wing sheeting. Epoxy the wing tips in place, and also the fin. Now cut from harder balsa the engine cowl, which is gradually formed into a cone. Finish up the balsa front fuselage sheeting. Sand the whole model. Cut off the top front part of the fuselage; thus we get a removable hatch for battery, servos, and receiver. Sand the hatch edges and epoxy plywood strips in place, as shown on the plan. After epoxying these strips, put the hatch back on the fuselage, but between the edges place a thin piece of plastic wrap so that these two parts do not become glued together. While the whole thing is drying, bind a rubber band around it. In the places where the hatch is held, epoxy two threaded bicycle spokes in place. The whole hatch is held by two

nipples. Epoxy inside the top hatch a strip of plywood and also the windows. Now sand the whole front part of the fuselage and cover the whole model with thin tissue. Make the mold for the canopy and form your own canopy in a vacuum-former such as a Formicator. Now epoxy the canopy in place. For a more realistic appearance you can place a figure of a pilot in the cockpit. The last job is to cut the rudder, ailerons, and elevators from balsa and fix them in place with nylon hinges.


#### PAINTING THE MODEL

The whole model, when covered, is painted with clear and colored dope. Lines imitating sheet metal are done with drawing ink. This is surely not the only method of painting, and anyone can choose his own. The color scheme on my model does not exist on any full-size plane; it is a combination of various color schemes of different types. As a base for an original color scheme, use a magazine with a published description of the Vigilante.


#### ADJUSTING AND FLYING THE MODEL

Install the receiver, pushrods, and engine. Solder the wheels on and check if controls move smoothly. Put some extra weight into your model if necessary to achieve the balance point. The engine has no side thrust, but does have 2° of downthrust. Now adjust engine throttle action. As a muffler you can use a Muffler-air or a standard muffler turned against the flight direction. In contrast to standard models, the pusher propeller is

*Continued on page 99*



Air inlet ducts are open all the way down the fuselage, provide cooling air to the engine. Engine doesn't get cooled unless the model is moving, so don't spend too much time on the ground.




F6 3/8" PLY  
DRILL HOLES FOR  
MOTOR MOUNT

F4A 3/16" SHT.




3/16" SHT TOP & BOTTOM


\*NOTE: HATCH NOT SHOWN THIS VIEW




F1 3/16" SHT



F4 1/8" PLY






F5 1/8" PLY



F2 3/16" SHT.




F3 3/16" SHT.




SECTION A-A


1/8" x 1/4" SPEAKE



1-3/4" DIA.







SECTION E-E



SECTION G-G

TOP VIEW  
RIGHT WING



# VIGILANTE

A SEMI SCALE JET  
FOR A PUSHER .40

DESIGNED & DRAWN BY: PAVEL BOSK

MAIN L.G. LEGS  
5/32" WIRE  
(2 ECH)

| SPECS. |         |
|--------|---------|
| SPAN   | 41-1/2" |
| LENGTH | 45-1/2" |
| POWER  | .40     |

**MODEL BUILDER**  
magazine  
Plan No. 1279


SPECIALIZING  
IN  
RADIO  
CONTROL  
AIRCRAFT

# MARK'S MODELS

P. O. Box 2134  
Escondido, California 92025

## MODEL AIRPLANE KITS FOR THE MODELER


57 years of combined building and flying experience have gone into the design of each airplane in the Mark's Models line. Our active participation in both sport and competition flying assures the modeler he is purchasing a proven practical airplane. See these fine kits today at your local hobby shop. Send stamped, self-addressed envelope for free catalogue.



# SUNNY

**\$32.95**

Wing Span ..... 40 in.  
Wing Area ..... 555 sq. in.  
Power ..... 15 cu. in.  
Weight ..... 3 1/2 lbs. (Ready to fly)



# Bushwacker

**\$44.95**

Without  
Accessories

**\$52.95**

With  
Accessories

Wing Span ..... 68.75 in.  
Wing Area ..... 555 sq. in.  
Power ..... .15 to .19 cu. in.  
Weight ..... 3 lbs. (Ready to fly)

Performance should be excellent, since the wing is built up for light weight and strength.

Last item for the month is a new boat kit from Dumas Boats. The "Lil Rascal" is a high performance Outrigger Hydro for two channels and a .10 size throttled engine. Construction is wood and metal, not fiberglass in this case. I think the clear radio compartment cover in the photo was just for the show model; I doubt that it is part of the kit. Dumas has done a tremendous service for the R/C boater by making a wide variety of hardware available. Their line of kits is broad in size, complexity, and range of interest. You can get scale models, racers, speed jobs, sailboats, and just sport models with all the goodies you need to hook up your engine without having to be a machinist. ●

**Vigilante . . . . . Continued from page 17**

something very unusual, and that is why when adjusting the needle valve you must firmly hold the whole model. If a standard model moves a little bit it means nothing, but here an inch is enough and your fingers are cut by the propeller, which is nearly a saw. That is why you must pay attention to it. On takeoff, let it run about 60-70 meters on the runway, and do not move the elevator. Then slightly touch it and the model will take off. If the takeoff is too sudden, the propeller can touch the ground. I should like to mention that this has never happened to me. Of course, I have been flying from a flat and straight

runway. While landing, the propeller of my model touched the ground a few times, but that was because the landing speed was too slow. If the landing is in jet style nothing can happen.

The model is controlled as any other F3A model. During the flying you can hardly recognize that there is a pusher engine. The model is small, and that is why it flies fast with an O.S. Max .40 FSR. It performs every F3A maneuver with the exception of a spin. I think it could perform it, but I have not tried it yet. As I found out during meetings with other model builders, the model itself is nice and attractive. There have been discussions about it, and a lot of people want to build it. If anyone decides to build a Vigilante, I wish many nice takeoffs. If there is anything in my description that is not understood well, I shall answer every question by way of correspondence. ●

**C/L . . . . . Continued from page 55**

models just don't fire that urge to go flying like the C/L and F/F models hanging about the shop do.

But what seems to be the ultimate example, illustrating that it is not model building skills determining the fun quotient, is my heavy involvement in R/C cars. To approach these models looking for an outlet for modeling skills is almost a waste of time . . . if the traditional model builder is doing the looking.

Take a look around at what is offered to the car racers. *Everything* is ready

built, most cars can be purchased as complete, ready-to-race units. Even if bought as a kit, the car goes together easily and is readily recognizable as being from a certain manufacturer. About the only creative thing a car racer can do is paint the molded body in an individualized manner.

One of the people I race with, Greg Sheehan, is just about the best example I can think of as enjoying a modeling activity and yet not having any of the traditional model building skills (and without any desire to acquire these skills), and yet having fun racing R/C cars. Greg absolutely loathes working on his and his boy's car. He has Bob Welch paint his bodies for him, not even wanting to get that deep (?) into building the cars. Last year Greg mentioned that it was a tough season, he actually had to reset his needle valve twice in the

**THE ANTIC BIPE BY Proctor**  
A REAL SHOW STOPPER & CROWD PLEASER  
SLOW & STEADY • EASY TO FLY • NO GROUND LOOPING • TAKE OFFS & LANDINGS ARE EXTREMELY EASY • YOU CAN BOTH LEARN TO BUILD & TO FLY WITH THIS KIT • SCALE CONSTRUCTION THROUGHOUT • NO LUGS REQUIRED • ASSEMBLES ON ANY FLAT SURFACE • ALL CABLE, TURNBUCKLES, FITTINGS, ETC., ARE FURNISHED WITH THE KIT • 5 SHEETS OF SCALE CONSTRUCTION DWGS. • PLANTS ARE AVAILABLE FOR SEAPLANE OPERATION • LARGE SIZE • 1528 SQ. IN. WING AREA • 64 IN. SPAN • WEIGHT 7 LBS. 5 OZ. • 60 ENGINE WILL PROVIDE AMPLE POWER • 3 CHANNEL RADIO WINGS ARE REMOVABLE IN MOMENTS WITHOUT AFFECTING THE RIGGING • FOR COMPLETE CATALOGUE AND RRP DISCOUNT SEND \$1.00 TO PROCTOR KIT, CORP., P. O. BOX 964 SAN DIEGO, CALIF. 92109.  
Mfg. by Proctor Kit, Corp., 421 Gateway Ct., San Diego, Ca. 92111.